

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

Figure 1: Effect of Compound A on Proportion of Open Arm Entries in the Elevated Plus Maze test.




Figure 2: Effect of Compound A on Open Arm Time in the Elevated Plus Maze test.




Figure 3: Effect of Compound A on Closed Arm Entries in the Elevated Plus Maze test.




Figure 4: Effect of Compound A on Total Number of Entries in the Elevated Plus Maze test.




Figure 5: Effect of Compound A on Basal Rectal Temperature (°C) in the Stress-Induced Hyperthermia test.




Figure 6: Effect of Compound A on Delta T (°C) in the Stress-Induced Hyperthermia test.




Figure 7: Effect of Compound A on Total Distance Traveled (Horizontal Activity) in the Open Field.




Figure 8: Effect of Compound A on rearing activity (Vertical Activity) in the Open Field.




Figure 9: Effect of Compound A on Percent Distance Traveled in the Center in the Open Field during the period of 40 min.




Figure 10: Effect of Compound A on Percent Time Traveled in the Center in the Open Field during the period of 40 min.




Figure 11: Effect of Compound A on Frequency of Zone Crosses in the Open Field.




Figure 12: Effect of Compound A on Distance Traveled in the Open Field.

